

Konformitätserklärung zur Barrierefreiheit für

violamobile.at

Zuletzt aktualisiert: **14/08/2025**

Dieses Dokument wurde von [AccessiWay](#) bereitgestellt, um den Anforderungen des European Accessibility Act (EAA) und des Barrierefreiheitsgesetzes (BaFG) zu entsprechen.

Jeder komplexere Abschnitt wird durch eine einfachere Erklärung eingeleitet.

Einleitung

Wir möchten, dass alle Menschen unseren violamobile.at gut nutzen können – auch Menschen mit Behinderungen. In dieser Erklärung zeigen wir, was wir tun, damit unser violamobile.at barrierefrei ist. Dabei halten wir uns an die Regeln des European Accessibility Act (EAA) und an die WCAG-Richtlinien.

M:TEL Austria setzt sich für Inklusion und Barrierefreiheit ein. Unser Ziel ist es, dass alle Nutzer:innen – unabhängig von körperlichen oder technischen Einschränkungen – unsere [Website, App und Selfcare-Portal](#) selbstständig und ohne Hindernisse nutzen können.

Diese Konformitätserklärung beschreibt die Funktionen von [violamobile.at](#). Wir zeigen wie wir die Anforderungen der folgenden Gesetze und Normen erfüllen:

- European Accessibility Act,
- EN 301 549,
- Web Content Accessibility Guidelines (WCAG) 2.2
- Barrierefreiheitsgesetz (BaFG)

Wir überprüfen diese Erklärung regelmäßig, und versuchen immer, die Barrierefreiheit von [violamobile.at](#) weiter zu verbessern. Die Erklärung bezieht sich ausschließlich auf [violamobile.at](#).

Überblick

[violamobile.at](#) ist ein Online-Shop, in dem Kund:innen Mobilfunktarife bestellen können. Nutzer:innen vergleichen Tarife, lesen Produktbeschreibungen und Bewertungen, legen Wunschoptionen in den Warenkorb und schließen ihren Kauf oder Vertragswechsel sicher ab – sowohl auf der Website als auch in der App.

So nutzen Sie [violamobile.at](#) (Barrierefreiheit & Bedienung)

Wir bemühen uns, [violamobile.at](#) für alle einfach nutzbar zu machen. Hier finden Sie einen Überblick zur Bedienung, insbesondere bei Verwendung von Hilfstechnologien:

[violamobile.at](#) Bedienungsbeschreibung

Die Hauptnavigation befindet sich am oberen Rand jeder Seite und enthält Links zu den Bereichen „Tarife“, „Guthaben aufladen“, „Registrierung“, „Mein Viola Mobile“, „Kundendienst“ und „Kontakt“. Die Navigation ist über die Tastatur bedienbar und visuell hervorgehoben. Eine Suchleiste steht im Kopfbereich jeder Seite zur Verfügung.

Auf unseren Produktseiten finden Sie den Titel, ein Produktbild, den Preis sowie eine detaillierte Beschreibung. Wichtige Informationen sind strukturiert mit Überschriften ausgezeichnet. Um ein Produkt zu bestellen, können Sie es in den Warenkorb legen und anschließend den Bestellprozess starten. Der Bestellvorgang führt Sie Schritt für Schritt durch Auswahl, Adresseingabe und Bezahlmethoden. Falls Sie noch kein Kundenkonto haben, können Sie dieses über ein Formular erstellen. Alle Formularfelder sind klar beschriftet und geben bei fehlerhaften Eingaben hilfreiche Hinweise aus.

Am Seitenende (Footer) finden Sie zusätzliche Links zu Kontakt, AGB, Datenschutz, Cookies, Barrierefreiheitserklärung und Impressum, sowie weiterführende Links zu den Websites aus der Telekom Serbien Gruppe.

Barrierefreie Funktionen von [violamobile.at](#)

Wir haben Funktionen integriert, um unterschiedliche Bedürfnisse unserer Nutzerinnen und Nutzer zu unterstützen. Viele davon entsprechen gängigen Barrierefreiheits-

Standards (WCAG 2.1, Stufe AA). Die wichtigsten davon und ihre Bewertung finden Sie in dieser Erklärung.

Wenn Sie weitere Hilfe zur Nutzung von [violamobile.at](#) benötigen, besuchen Sie unseren [Kundendienst](#) oder Sie sich per E-Mail an web@mtel.at. Wir helfen gerne weiter.

Konformität mit den Barrierefreiheitsanforderungen (So erfüllen wir die Anforderungen)

Wir haben [violamobile.at](#) im Hinblick auf folgende Regelwerke geprüft: European Accessibility Act, Barrierefreiheitsgesetz (BaFG), EN 301 549 und WCAG 2.2. Dabei erfüllen wir folgende Prinzipien:

Wahrnehmbar

- Der Inhalt wird in einer Reihenfolge präsentiert, die der logischen und semantischen Struktur entspricht und es assistiven Technologien ermöglicht, ihn korrekt zu interpretieren.
- Anleitungen zum Verständnis und zur Bedienung von Inhalten stützen sich nicht ausschließlich auf sensorische Merkmale von Komponenten wie Form, Farbe, Größe, visuelle Position, Ausrichtung oder Klang.
- Änderungen des Textabstands (etwa Zeilenhöhe, Abstand zwischen Absätzen, Buchstaben oder Wörtern) führen nicht zum Verlust von Informationen oder Inhalten.

Bedienbar

- Es gibt keine Tastaturfallen (eine freie Navigation in alle und aus allen

Komponenten ist möglich).

- Es werden keine vom Inhalt vorgegebenen Zeitlimits erzwungen oder, falls vorhanden, sind sie vom Nutzer steuerbar, anpassbar, verlängerbar oder durch funktionale oder rechtliche Anforderungen gerechtfertigt.
- Es werden keine blinkenden oder flackernden Inhalte verwendet, die Anfälle auslösen könnten; die Sicherheitsgrenzwerte werden eingehalten.
- Der Zweck von Links kann durch den Linktext selbst oder zumindest durch den Linktext im Kontext der angrenzenden Inhalte bestimmt werden.
- Elemente, die den Fokus der Tastaturnavigation erhalten können, sind im Ansichtsfenster stets mindestens teilweise sichtbar.
- Bei Benutzeroberflächenkomponenten mit Beschriftungen, die Text oder Textbilder enthalten, umfasst der von assistiven Technologien gelesene Name den visuell dargestellten Text.
- Der anklickbare Bereich interaktiver Elemente ist groß genug, um eine einfache Interaktion für die Nutzer zu gewährleisten.

Verständlich

- Die Sprache jeder Seite ist korrekt festgelegt und wird im gesamten Dienst konsistent verwendet
- Benutzeroberflächenkomponenten lösen beim Erhalt des Tastaturfokus keine unerwarteten Kontextänderungen aus, die die Nutzenden verwirren könnten.
- Benutzeroberflächenkomponenten lösen bei Aktivierung durch die Nutzenden über Tastatur oder assistive Technologien keine unerwarteten Kontextänderungen aus, die zu Verwirrung führen könnten.
- Die vorhandenen Navigationsmechanismen sind im gesamten Ablauf des Dienstes konsistent positioniert
- Wiederkehrende Elemente der Benutzeroberfläche sind einheitlich gestaltet, um ihre Erkennung zu erleichtern
- Wenn ein Eingabefehler erkannt wird und Korrekturvorschläge bekannt sind, werden diese dem Nutzenden bereitgestellt, es sei denn, gesetzliche Vorschriften schließen dies aus

Robust

- Es werden standardisierte Entwicklungstechnologien verwendet, die von assistiven Technologien interpretiert werden können

Wir testen [violamobile.at](#) mit den gängigsten assistiven Technologien in verschiedenen Kombinationen aus Betriebssystemen und Browsern:

- Screenreader wie NVDA und JAWS (Windows) sowie VoiceOver (Mac und iOS) helfen uns sicherzustellen, dass alle interaktiven Elemente korrekt vorgelesen und bedienbar sind.
- Zusätzlich prüfen wir die Nutzung mit Bildschirmvergrößerung und im Hochkontrastmodus.

Unser Ziel ist es, mit den aktuellen Versionen gängiger Hilfsmittel kompatibel zu sein. Dabei folgen wir den bewährten Methoden der WCAG 2.2 und der Norm EN 301 549. So stellen wir sicher, dass die Barrierefreiheit auch bei zukünftigen technischen Entwicklungen erhalten bleibt.

Standards:

Auf dieser Grundlage wenden wir die Kriterien der WCAG 2.2 (AA-Niveau, aktuelle Version) sowie der EN 301 549 an. Die Einhaltung dieser Standards gilt als Nachweis für die Konformität mit dem EAA, dem Barrierefreiheitsgesetz (BaFG) und weiteren entsprechenden Vorschriften.

Laufende Überwachung und Pflege

Barrierefreiheit ist für uns kein einmaliges Projekt, sondern ein fortwährender Prozess. So stellen wir sicher, dass [violamobile.at](#) dauerhaft zugänglich bleibt:

- **Barrierefreiheitskoordination**

Eine / ein Barrierefreiheitskoordinator:in überwacht alle Maßnahmen rund um [violamobile.at](#) und ist unter web@mtel.at erreichbar.

- **Accessibility Team**

Accessibility Expert:innen prüfen jede neue Funktion oder größere Änderung schon vor der Veröffentlichung auf mögliche Barrieren. Außerdem verfolgen wir Änderungen in Gesetzen und Normen und berücksichtigen neue Entwicklungen bei Hilfstechnologien in unseren Updates.

- **Automatisierte Prüfungen**

In unseren Entwicklungsprozess sind Test- und Monitoring-Tools integriert. Sie erkennen typische Probleme wie fehlende ALT-Texte oder Formularbeschriftungen schon in der frühen Phase. Jede Code-Version durchläuft diese Kontrollen.

- **Externe Audits**

Am [25/07/2025](#) haben wir einen objektiven Audit durch AccessiWay durchgeführt. Weitere Audits folgen mindestens jährlich, einschließlich manueller Tests mit Assistenztechnologien.

Feedback und Kontakt

Ihr Feedback hilft uns, [violamobile.at](#) weiter zu verbessern. Wenn Sie auf Barrieren stoßen oder Anregungen haben, können Sie uns jederzeit per E-Mail, Telefon oder Post kontaktieren. Bitte beschreiben Sie das Problem so genau wie möglich, damit wir gezielt helfen können.

Wir schätzen Rückmeldungen von Nutzer:innen besonders dann, wenn etwas nicht wie erwartet funktioniert. Sollten Sie Schwierigkeiten beim Zugriff auf Inhalte oder Funktionen von [violamobile.at](#) haben oder eine Barriere entdecken, freuen wir uns über Ihren Hinweis.

Kontaktmöglichkeiten:

web@mtel.at

0800 67 1911

MTEL Austria GmbH, Am Euro Platz 2/ Stiege 5, 7.OG, 1120 Wien

Wenn Sie uns kontaktieren, nennen Sie bitte möglichst genau:

- die betroffene Seite oder Funktion,
- was passiert ist,
- welche Hilfstechnologie Sie ggf. verwenden.

Wir bestätigen Ihre Rückmeldung innerhalb von [5 Werktagen](#) und bemühen uns, das Problem zügig zu beheben – in der Regel innerhalb von [10 Werktagen](#) oder mit einem Zwischenstand.

Beschwerdemöglichkeit:

Bei nicht zufriedenstellenden Antworten aus oben genannter Kontaktmöglichkeit können Sie sich mittels Beschwerde an das Sozialministeriumservice der Landesstelle Oberösterreich wenden.

Kontakt:

Gruberstraße 63, 4021 Linz

Tel: 0732/7604-0

Fax: 0732/7604-4400

E-Mail: post.oberoesterreich@sozialministeriumservice.at

Die Beschwerden werden von dem Sozialministeriumservice dahingehend geprüft, ob sie sich auf Verstöße gegen die Vorgaben des Barrierefreiheitsgesetz, insbesondere

Mängel bei der Einhaltung der Barrierefreiheitsanforderungen, durch den Bund oder einer ihm zuordenbaren Einrichtung beziehen.

Sofern die Beschwerde berechtigt ist, hat das Sozialministeriumservice dem Bund oder den betroffenen Rechtsträgern Handlungsempfehlungen auszusprechen und Maßnahmen vorzuschlagen, die der Beseitigung der vorliegenden Mängel dienen.

Versionsverlauf:

Diese Barrierefreiheitserklärung wurde erstmals am [25.07.2025](#) veröffentlicht und zuletzt am [14.08.2025](#) überarbeitet. Eine Überprüfung erfolgt mindestens jährlich oder bei wesentlichen Änderungen an [violamobile.at](#).

EN301549 technical report

Chapter 4: Functional Performance Statements (FPS)

| Criteria | Conformance Level | Remarks and explanations |
|---|--------------------------|---------------------------------|
| 4.2.1 Usage without vision | Partially Supports | |
| 4.2.2 Usage with limited vision | Partially Supports | |
| 4.2.3 Usage without perception of colour | Partially Supports | |
| 4.2.4 Usage without hearing | Partially Supports | |
| 4.2.5 Usage with limited hearing | Partially Supports | |
| 4.2.6 Usage with no or limited vocal capability | Partially Supports | |
| 4.2.7 Usage with limited manipulation or strength | Partially Supports | |
| 4.2.8 Usage with limited reach | Partially Supports | |
| 4.2.9 Minimize photosensitive seizure triggers | Partially Supports | |
| 4.2.10 Usage with limited cognition, language or learning | Partially Supports | |
| 4.2.11 Privacy | Partially Supports | |

Chapter 5: Generic Requirements

| Criteria | Conformance Level | Remarks and explanations |
|---|--|--|
| 5.1 Closed functionality | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 5.1.2 General | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 5.1.2.1 Closed functionality | See 5.2 through 13 | See information in 5.2 through 13 |
| 5.1.2.2 Assistive technology | See 5.1.3 through 5.1.6 | See information in 5.1.3 through 5.1.6 |
| 5.1.3 Non-visual access | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 5.1.3.1 Audio output of visual information | Not Applicable | |
| 5.1.3.2 Auditory output delivery including speech | Not Applicable | |
| 5.1.3.3 Auditory output correlation | Not Applicable | |
| 5.1.3.4 Speech output user control | Not Applicable | |
| 5.1.3.5 Speech output automatic interruption | Not Applicable | |
| 5.1.3.6 Speech output for non-text content | Not Applicable | |
| 5.1.3.7 Speech output for video information | Not Applicable | |
| 5.1.3.8 Masked entry | Not Applicable | |
| 5.1.3.9 Private access to personal data | Not Applicable | |
| 5.1.3.10 Non-interfering audio output | Not Applicable | |
| 5.1.3.11 Private listening volume | Not Applicable | |

| Criteria | Conformance Level | Remarks and explanations |
|---|--|---|
| 5.1.3.12 Speaker volume | Not Applicable | |
| 5.1.3.13 Volume reset | Not Applicable | |
| 5.1.3.14 Spoken languages | Not Applicable | |
| 5.1.3.15 Non-visual error identification | Not Applicable | |
| 5.1.3.16 Receipts, tickets, and transactional outputs | Not Applicable | |
| 5.1.4 Functionality closed to text enlargement | Not Applicable | |
| 5.1.5 Visual output for auditory information | Not Applicable | |
| 5.1.6 Operation without keyboard interface | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 5.1.6.1 Closed functionality | See 5.1.3.1 through 5.1.3.16 | See information in 5.1.3.1 through 5.1.3.16 |
| 5.1.6.2 Input focus | Not Applicable | |
| 5.1.7 Access without speech | Not Applicable | |
| 5.2 Activation of accessibility features | Not Applicable | |
| 5.3 Biometrics | Not Applicable | |
| 5.4 Preservation of accessibility information during conversion | Not Applicable | |
| 5.5 Operable parts | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 5.5.1 Means of operation | Not Applicable | |
| 5.5.2 Operable parts discernibility | Not Applicable | |
| 5.6 Locking or toggle controls | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 5.6.1 Tactile or auditory status | Not Applicable | |
| 5.6.2 Visual status | Not Applicable | |

| Criteria | Conformance Level | Remarks and explanations |
|----------------------------------|--------------------------|---------------------------------|
| | | |
| 5.7 Key repeat | Not Applicable | |
| 5.8 Double-strike key acceptance | Not Applicable | |
| 5.9 Simultaneous user actions | Not Applicable | |

Chapter 6: ICT with Two-Way Voice

Communication

| Criteria | Conformance Level | Remarks and explanations |
|--|--|--|
| 6.1 Audio bandwidth for speech | <i>Not Applicable</i> | |
| 6.2 Real-time text (RTT) functionality | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 6.2.1.1 RTT communication | Not Applicable | |
| 6.2.1.2 Concurrent voice and text | Not Applicable | |
| 6.2.2.1 Visually distinguishable display | | |
| 6.2.2.2 Programmatically determinable send and receive direction | Not Applicable | |
| 6.2.2.3 Speaker identification | Not Applicable | |
| 6.2.2.4 Visual indicator of Audio with RTT | Not Applicable | |
| 6.2.3 Interoperability | Not Applicable | |
| 6.2.4 RTT responsiveness | Not Applicable | |
| 6.3 Caller ID | Not Applicable | |
| 6.4 Alternatives to voice-based services | Not Applicable | |
| 6.5 Video communication | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 6.5.1 General (informative) | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 6.5.2 Resolution | Not Applicable | |
| 6.5.3 Frame rate | Not Applicable | |
| 6.5.4 Synchronization between audio and | Not Applicable | |

| Criteria | Conformance Level | Remarks and explanations |
|--|--------------------------------------|--------------------------------------|
| video | | |
| 6.5.5 Visual indicator of audio with video | Not Applicable | |
| 6.5.6 Speaker identification with video (sign language) communication | Not Applicable | |
| 6.6 Alternatives to video-based services (advisory only) | <i>Advisory no response required</i> | <i>Advisory no response required</i> |

Chapter 7: ICT with Video Capabilities

| Criteria | Conformance Level | Remarks and explanations |
|--|--|--|
| 7.1 Caption processing technology | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 7.1.1 Captioning playback | Not Applicable | |
| 7.1.2 Captioning synchronization | Not Applicable | |
| 7.1.3 Preservation of captioning | Not Applicable | |
| 7.1.4 Captions characteristics | Not Applicable | |
| 7.1.5 Spoken subtitles | Not Applicable | |
| 7.2.1 Audio description playback | Not Applicable | |
| 7.2.2 Audio description synchronization | Not Applicable | |
| 7.2.3 Preservation of audio description | Not Applicable | |
| 7.3 User controls for captions and audio description | Not Applicable | |

Chapter 8: Hardware

| Criteria | Conformance Level | Remarks and explanations |
|---|--|--|
| 8.1.1 Generic requirements | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 8.1.2 Standard connections | Not Applicable | |
| 8.1.3 Colour | Not Applicable | |
| 8.2 Hardware products with speech output | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 8.2.1.1 Speech volume range | Not Applicable | |
| 8.2.1.2 Incremental volume control | Not Applicable | |
| 8.2.2.1 Fixed-line devices | Not Applicable | |
| 8.2.2.2 Wireless communication devices | Not Applicable | |
| 8.3 Stationary ICT | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 8.3.2.1 Unobstructed high forward reach | Not Applicable | |
| 8.3.2.2 Unobstructed low forward reach | Not Applicable | |
| 8.3.2.3.1 Clear space | Not Applicable | |
| 8.3.2.3.2 Obstructed (< 510 mm) forward reach | Not Applicable | |
| 8.3.2.3.3 Obstructed (< 635 mm) forward reach | Not Applicable | |
| 8.3.2.4 Knee and toe clearance width | Not Applicable | |
| 8.3.2.5 Toe clearance | Not Applicable | |
| 8.3.2.6 Knee clearance | Not Applicable | |
| 8.3.3.1 Unobstructed high side reach | Not Applicable | |

| Criteria | Conformance Level | Remarks and explanations |
|--|--|--|
| 8.3.3.2 Unobstructed low side reach | Not Applicable | |
| 8.3.3.3.1 Obstructed (≤ 255 mm) side reach | Not Applicable | |
| 8.3.3.3.2 Obstructed (≤ 610 mm) side reach | Not Applicable | |
| 8.3.4.1 Change in level | Not Applicable | |
| 8.3.4.2 Clear floor or ground space | Not Applicable | |
| 8.3.4.3.2 Forward approach | Not Applicable | |
| 8.3.4.3.3 Parallel approach | Not Applicable | |
| 8.3.5 Visibility | Not Applicable | |
| 8.3.6 Installation instructions | Not Applicable | |
| 8.4 Mechanically Operable parts | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 8.4.1 Numeric keys | Not Applicable | |
| 8.4.2.1 Means of operation of mechanical parts | Not Applicable | |
| 8.4.2.2 Force of operation of mechanical parts | Not Applicable | |
| 8.4.3 Keys, tickets and fare cards | Not Applicable | |
| 8.5 Tactile indication of speech mode | Not Applicable | |

Chapter 9: Web (applies also to 10, 11 and 12)

Corresponding to WCAG 2.2 Level A

| Success Criteria | Conformance Level | Remarks and explanations |
|---|--------------------|---|
| 1.1.1 Non-text Content | Partially supports | <p>Exceptions include:</p> <ul style="list-style-type: none">- General > Images without or unnecessary alternative text- General > Inappropriate alternative for image buttons- General > Missing alternative for image buttons <p>Home > Images without or unnecessary alternative text</p> <p>About Us > Images without or unnecessary alternative text</p> <p>Register your presentation card > Images without or unnecessary alternative text</p> <p>Sim Only > Images without or unnecessary alternative text</p> <p>Sim Only > Inappropriate alternative for image links</p> <p>Recharge credit > Images without or unnecessary alternative text</p> <p>FAQ > Images without or unnecessary alternative text</p> <p>Terms and conditions > Images without or unnecessary alternative text</p> <p>Cookies > Images without or unnecessary alternative text</p> <p>Login > Inappropriate alternative for image links</p> |
| 1.2.1 Audio-only and Video-only (Prerecorded) | Supports | |

| | | |
|--|-----------------------|--|
| 1.2.2 Captions (Prerecorded) | Supports | |
| 1.2.3 Audio Description or Media Alternative Supports | Supports | |
| 1.3.1 Info and Relationships | Partially supports | <p>Exceptions include:</p> <ul style="list-style-type: none"> - General > List mark-up used unnecessarily - General > Error message is not associated with the corresponding form fields - General > Missing heading mark-up - General > List mark-up used incorrectly <p>Home > Landmarks not defined</p> <p>Home > Missing heading mark-up</p> <p>About Us > Missing heading mark-up</p> <p>Register your presentation card > Use of multiple <main> landmark tags</p> <p>Sim Only > Missing heading mark-up</p> <p>Sim Only > Inappropriate heading structure</p> <p>Checkout (all the possible steps) > Missing heading mark-up</p> <p>FAQ > Missing heading mark-up</p> <p>FAQ > Heading mark-up used unnecessarily</p> <p>FAQ > Missing list mark-up</p> <p>FAQ > Table headers not programmatically defined</p> <p>FAQ > Inappropriate heading structure</p> <p>Contact > Missing heading mark-up</p> <p>Terms and conditions > Inappropriate heading structure</p> <p>Cookies > Missing heading mark-up</p> <p>Cookies > Inappropriate heading structure</p> <p>Login > Error message is not associated with the corresponding form fields</p> <p>Login > Multiple H1 headings defined</p> |

| | | |
|-------------------------------|--------------------|--|
| 1.3.2 Meaningful Sequence | Supports | |
| 1.3.3 Sensory Characteristics | Supports | |
| 1.4.1 Use of Color | Partially supports | <p>Exceptions include:</p> <p>Home > Color alone used to convey selected state</p> <p>Register your presentation card > Color alone used to distinguish links</p> <p>Cookies > Color alone used to distinguish links</p> |
| 1.4.2 Audio Control | Supports | |
| 2.1.1 Keyboard | Partially supports | <p>Exceptions include:</p> <ul style="list-style-type: none"> - General > Expand/collapse functionality not operable with a keyboard - General > Custom radio buttons not programmatically determined <p>Register your presentation card > Tooltip content not accessible with a keyboard</p> <p>Register your presentation card > Expand/collapse functionality not operable with a keyboard</p> <p>Checkout (all the possible steps) > Tabs not operable with a keyboard</p> <p>Recharge credit > Custom checkboxes not operable with a keyboard</p> <p>FAQ > Accordion not programmatically determined</p> <p>FAQ > Tabs not operable with a keyboard</p> <p>Terms and conditions > Accordion not programmatically determined</p> <p>Cookies > Accordion not programmatically determined</p> <p>Login > Links not operable with a keyboard</p> |
| 2.1.2 No Keyboard Trap | Supports | |

| | | |
|--|--------------------|--|
| 2.1.4 Character Key Shortcuts | Supports | |
| 2.2.1 Timing Adjustable | Supports | |
| 2.2.2 Pause Stop Hide | Partially supports | Exceptions include: Home > No means to control moving, blinking, or scrolling content |
| 2.3.1 Three Flashes or Below Threshold | Supports | |
| 2.4.1 Bypass Blocks | Partially supports | Exceptions include: - General > Missing Skip to content link |
| 2.4.2 Page Titled | Partially supports | Exceptions include: Sim Only > Inaccurate page title Checkout (all the possible steps) > Inaccurate page title Recharge credit > Inaccurate page title FAQ > Inaccurate page title Terms and conditions > Inaccurate page title Login > Inaccurate page title |
| 2.4.3 Focus Order | Partially supports | Exceptions include: - General > Keyboard focus not set onto modal dialog - General > Keyboard focus does not return to the triggering element of modal dialog - General > Focus does not move to the first field in error Home > Illogical tab order Register your presentation card > Hidden content receives keyboard focus FAQ > Hidden content receives keyboard focus |

| | | |
|---------------------------------|--------------------|---|
| | | <p>Login > Focus does not move to the first field in error</p> <p>Login > Focus moves inappropriately</p> |
| 2.4.4 Link Purpose (In Context) | Supports | |
| 2.5.1 Pointer Gestures | Supports | |
| 2.5.2 Pointer Cancellation | Supports | |
| 2.5.3 Label in Name | Supports | |
| 2.5.4 Motion Actuation | Supports | |
| 3.1.1 Language of Page | Supports | |
| 3.2.1 On Focus | Supports | |
| 3.2.2 On Input | Supports | |
| 3.2.6 Consistent Help | Supports | |
| 3.3.1 Error Identification | Partially supports | <p>Exceptions include:</p> <p>Register your presentation card > Error messages difficult to locate</p> <p>Checkout (all the possible steps) > Error messages difficult to locate</p> <p>Contact > Missing Error messages</p> |
| 3.3.2 Labels or Instructions | Partially supports | <p>Exceptions include:</p> <ul style="list-style-type: none"> - General > Placeholder text used as label <p>Register your presentation card > Placeholder used as label</p> |

| | | |
|-----------------------|--------------------|---|
| | | <p>Checkout (all the possible steps) > Placeholder text used as label</p> <p>Recharge credit > Mandatory fields not identified</p> |
| 3.3.7 Redundant Entry | Supports | |
| 4.1.1 Parsing | Supports | |
| 4.1.2 Name Role Value | Partially supports | <p>Exceptions include:</p> <ul style="list-style-type: none"> - General > Missing iframe title - General > Sender information is not conveyed to screen reader users. - General > Expand/collapse state of the button not defined - General > Tab not programmatically determined <p>Checkout (all the possible steps) > Tab not programmatically determined</p> <p>Recharge credit > Missing accessible name for input field</p> <p>FAQ > Tab not programmatically determined</p> |

Corresponding to WCAG 2.2 Level AA

| Success Criteria | Conformance Level | Remarks and explanations |
|---------------------------------------|--------------------------|---------------------------------|
| 1.2.4 Captions (Live) | Supports | |
| 1.2.5 Audio Description (Prerecorded) | Supports | |
| 1.3.4 Orientation | Supports | |

| | | |
|------------------------------|--------------------|--|
| 1.3.5 Identify Input Purpose | Partially supports | <p>Exceptions include:</p> <ul style="list-style-type: none"> - General > Purpose of input field not identified programmatically Register your presentation card > Purpose of input field not identified programmatically Checkout (all the possible steps) > Purpose of input field not identified programmatically Recharge credit > Purpose of input field not identified programmatically Contact > Purpose of input field not identified programmatically Login > Purpose of input field not identified programmatically |
| 1.4.3 Contrast (Minimum) | Partially supports | <p>Exceptions include:</p> <ul style="list-style-type: none"> Home > Insufficient color contrast for text About Us > Insufficient color contrast for text Register your presentation card > Insufficient color contrast for text Sim Only > Insufficient color contrast for text Checkout (all the possible steps) > Insufficient color contrast for text Recharge credit > Insufficient color contrast for text FAQ > Insufficient color contrast for text Contact > Insufficient color contrast for text Terms and conditions > Insufficient color contrast for text Cookies > Insufficient color contrast for text Login > Insufficient color contrast for text |
| 1.4.4 Resize text | Partially supports | <p>Exceptions include:</p> <ul style="list-style-type: none"> - General > Content not available, overlaps, or cut off on 200% zoom Sim Only > Content not available, overlaps, or cut off on 200% zoom |

| | | |
|----------------------------------|--------------------|---|
| | | |
| 1.4.5 Images of Text | Partially supports | <p>Exceptions include:</p> <ul style="list-style-type: none"> > Image of text used About Us > Image of text used Sim Only > Image of text used |
| 1.4.10 Reflow | Partially supports | <p>Exceptions include:</p> <ul style="list-style-type: none"> - General > Content fails to reflow Sim Only > Content fails to reflow Checkout (all the possible steps) > Content fails to reflow |
| 1.4.11 Non-text Contrast | Partially supports | <p>Exceptions include:</p> <ul style="list-style-type: none"> Sim Only > Insufficient color contrast for informative image Login > Insufficient color contrast for the borders of form controls |
| 1.4.12 Text-spacing | Supports | |
| 1.4.13 Content on Hover or Focus | Partially supports | <p>Exceptions include:</p> <ul style="list-style-type: none"> Register your presentation card > Additional content available on hover or focus not hoverable |
| 2.4.5 Multiple Ways | Supports | |
| 2.4.6 Headings and Labels | Partially supports | <p>Exceptions include:</p> <ul style="list-style-type: none"> Home > Non-descriptive labels for buttons Register your presentation card > Identical label for buttons Checkout (all the possible steps) > Identical label for buttons |
| 2.4.7 Focus Visible | Partially | Exceptions include: |

| | | |
|-------------------------------------|--------------------|--|
| | supports | <ul style="list-style-type: none"> - General > Focus not visible Home > Focus not clearly visible Recharge credit > Focus not visible Contact > Focus not visible Cookies > Focus not visible Login > Focus not visible |
| 2.4.11 Focus Not Obscured (Minimum) | Supports | |
| 2.5.7 Dragging Movements | Supports | |
| 2.5.8 Target Size (Minimum) | Supports | |
| 3.1.2 Language of Parts | Partially supports | <p>Exceptions include:</p> <ul style="list-style-type: none"> - General > Change of language not identified for text Home > Change of language not identified for text About Us > Change of language not identified for text Sim Only > Change of language not identified for text Checkout (all the possible steps) > Change of language not identified for text FAQ > Change of language not identified for text Terms and conditions > Change of language not identified for text Cookies > Change of language not identified for text Login > Change of language not identified for text |
| 3.2.3 Consistent Navigation | Supports | |

| | | |
|---|--------------------|--|
| 3.2.4 Consistent Identification | Supports | |
| 3.3.3 Error Suggestion | Supports | |
| 3.3.4 Error Prevention (LFD) | Supports | |
| 3.3.8 Accessible Authentication (Minimum) | Supports | |
| 4.1.3 Status Messages | Partially supports | <p>Exceptions include:</p> <ul style="list-style-type: none"> - General > Dynamically updating content not announced for screen reader users |

Chapter 10: Non-Web Documents

| Criteria | Conformance Level | Remarks and explanations |
|-----------------------------------|--|--|
| 10.0 General (informative) | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 10.1.1.1 through 10.4.1.3 | See WCAG 2.2 section | See information in WCAG 2.2 section |
| 10.5 Caption positioning | Not Applicable | |
| 10.6 Audio description timing | Not Applicable | |

Chapter 11: Software

| Criteria | Conformance Level | Remarks and explanations |
|---|--|---|
| 11.0 General (informative) | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 11.1.1.1 through 11.4.1.3 | See WCAG 2.2 section | See information in WCAG 2.2 section |
| 11.5 Interoperability with assistive technology | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 11.5.1 Closed functionality | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 11.5.2 Accessibility services | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 11.5.2.1 Platform accessibility service support for software that provides a user interface | See 11.5.2.5 through 11.5.2.17 | See information in 11.5.2.5 through 11.5.2.17 |
| 11.5.2.2 Platform accessibility service | See 11.5.2.5 through | See information in 11.5.2.5 |

| Criteria | Conformance Level | Remarks and explanations |
|--|---|---|
| support for assistive technologies | 11.5.2.17 | through 11.5.2.17 |
| 11.5.2.3 Use of accessibility services | See information in 11.5.2.5 through 11.5.2.17 | See information in 11.5.2.5 through 11.5.2.17 |
| 11.5.2.4 Assistive technology | Not Applicable | |
| 11.5.2.5 Object information | Not Applicable | |
| 1.5.2.6 Row, column, and headers | Not Applicable | |
| 11.5.2.7 Values | Not Applicable | |
| 11.5.2.8 Label relationships | Not Applicable | |
| 11.5.2.9 Parent-child relationships | Not Applicable | |
| 11.5.2.10 Text | Not Applicable | |
| 11.5.2.11 List of available actions | Not Applicable | |
| 11.5.2.12 Execution of available actions | Not Applicable | |
| 11.5.2.13 Tracking of focus and selection attributes | Not Applicable | |
| 11.5.2.14 Modification of focus and selection attributes | Not Applicable | |
| 11.5.2.15 Change notification | Not Applicable | |
| 11.5.2.16 Modifications of states and properties | Not Applicable | |
| 11.5.2.17 Modifications of values and text | Not Applicable | |
| 11.6 Documented accessibility usage | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 11.6.1 User control of accessibility features | Not Applicable | |
| 11.6.2 No disruption of accessibility features | Not Applicable | |
| 11.7 User preferences | Not Applicable | |

| Criteria | Conformance Level | Remarks and explanations |
|---|---|--|
| 11.8 Authoring tools | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 11.8.1 Content technology | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 11.8.2 Accessible content creation | See WCAG 2.2 section (If not authoring tool, enter “Not Applicable”) | See information in WCAG 2.2 section |
| 11.8.3 Preservation of accessibility information in transformations | Not Applicable | |
| 11.8.4 Repair assistance | Not Applicable | |
| 11.8.5 Templates | Not Applicable | |

Chapter 12: Documentation and Support Services

| Criteria | Conformance Level | Remarks and explanations |
|--|--|--|
| 12.1 Product documentation | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 12.1.1 Accessibility and compatibility features | Not Applicable | |
| 12.1.2 Accessible documentation | See WCAG 2.2 section | See information in WCAG 2.2 section |
| 12.2 Support Services | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 12.2.2 Information on accessibility and compatibility features | Not Applicable | |

| Criteria | Conformance Level | Remarks and explanations |
|---------------------------------|--------------------------|-------------------------------------|
| 12.2.3 Effective communication | Not Applicable | |
| 12.2.4 Accessible documentation | See WCAG 2.2 section | See information in WCAG 2.2 section |

Chapter 13: ICT Providing Relay or Emergency Service Access

| Criteria | Conformance Level | Remarks and explanations |
|---|--|--|
| 13.1 Relay services requirements | <i>Heading cell no response required</i> | <i>Heading cell no response required</i> |
| 13.1.2 Text relay services | Not Applicable | |
| 13.1.3 Sign relay services | Not Applicable | |
| 13.1.4 Lip-reading relay services | Not Applicable | |
| 13.1.5 Captioned telephony services | Not Applicable | |
| 13.1.6 Speech to speech relay services | Not Applicable | |
| 13.2 Access to relay services | Not Applicable | |
| 13.3 Access to emergency services | Not Applicable | |

Web accessibility

Disability is defined as: any activity limitation or participation restriction in society, experienced by a person as a result of a substantial, lasting or definitive alteration of one or more physical, sensory, mental, cognitive, or psychic functions, a multiple disability, or a disabling health condition.

Web accessibility consists of making online public communication services accessible to people with disabilities, and is based on four fundamental principles:

Perceivable: Information and user interface components must be presented to the user in such a way that they can perceive them. For example, providing textual equivalents for all non-textual content that can then be presented in other forms according to the user's needs: large characters, braille, speech synthesis, symbols or simplified language.

Operable: User interface and navigation components must be operable. For example, making all functionality available via keyboard.

Understandable: Information and the use of the user interface must be understandable. Textual content must be made readable and navigation must be consistent.

Robust: Content must be sufficiently robust to be reliably interpreted by a wide variety of user agents, including assistive technologies.

Test environments

Operating systems

- Apple Mac Os X (last version)
- Microsoft Windows (last version)
- Apple Ios (last version)
- Google Android (last version)

We have not used Linux as it is currently very uncommon among users with disabilities.

Browsers and user software

In the latest versions available on the different operating systems:

- Google Chrome
- Windows Edge
- Safari
- Adobe Acrobat Reader / Preview on Mac (for PDFs only)

Screen readers and assistive technologies

In order to achieve the most standard evaluation **we test everything with no adaptation.**

In order to make the most realistic evaluation **we also make some adaptation like:**

- Graphic adaptations present on the different systems (colors, contrasts, subtitles, etc.)
- Mouse emulations, magnifiers and screen keyboards or keyboard improved settings always of the different systems
- Voiceover - Apple systems only
- Talkback - Android only
- NVDA (last version) and Freedom scientific Jaws (second-to-last version) - PC systems only

Methodology

Objective manual and semi-automatic verification methodology

We analyze content with different automatic and semiautomatic systems and compare the results between tools to obtain the most complete and objective verification. The reference standard, unless specifically requested, that we use is always the latest (WCAG

2.2) so that we can ensure compliance in all countries from which the touchpoint (site, app, etc.) can be accessed.

Our verification is therefore compliant with WCAG 2.2 level AA, and the requirements in [UNI EN 301549 Guidelines](#) or their declination in the French RGAAAs. Each tool produces results that are then analyzed by our experts: it is, therefore, possible that not all tool results appear because they are judged to be false negatives.

Automated tools for syntax checking

- **W3C Markup Validation Service** : used with generated code, because it is the official tool for checking HTML, XHTML, MathHTML, etc. <https://validator.w3.org/>
- **W3C CSS Validation service** : although the correctness of the CSS does not affect accessibility, it could affect some aspects that still have an impact on it if not correctly interpreted because it is incorrect. The verification is therefore appropriate and done with <https://jigsaw.w3.org/css-validator/>
- **PAC PDF checker** : <https://pdfua.foundation/en/pdf-accessibility-checker-pac/>

Automatic and semi-automatic tools for color verification

- **Color Contrast Analyser (CCA)** : used punctually on dubious contrasts <https://developer.paciellogroup.com/resources/contrastanalyser/>
- **WCAG Color contrast checker** : used as the first check to verify the contrasts of the colors used in the CSS of the pages.
- **Text on background image a11y check** : used to check when text should overlap images <https://www.brandwood.com/a11y/>
- **Color contrast accessibility evaluator** : used as an additional control for some online pages <https://color.a11y.com/Contrast/>

Automatic and semi-automatic tools for checking accessibility

Some online validators used as samples on the pages:

- Accescan <https://www.accessiway.com/accessscan>
- Wave <https://wave.webaim.org/>

And other local tools:

- **Web developer toolbar:** Used to support manual verification. It allowed us to locate images without alt texts, fields without labels, etc.<https://chrispederick.com/work/web-developer/>
- **AXE e Lighthouse for Chrome:** they have provided us with precise indications on the defects of the accessibility of the HTML code but also on WAI ARIA attributes, fundamental in the case of web applications and interactive components.
- **Siteimprove for Chrome:** like AX, it provides useful indications for verifying compliance but is a tool evaluated by AgID useful for monitoring public sites.

Terms

The terms used in the Conformance Level information are defined as follows:

Supports: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.

Partially Supports: Some functionality of the product does not meet the criterion.

Does Not Support: The majority of product functionality does not meet the criterion.

Not Applicable: The criterion is not relevant to the product.

Not Evaluated: The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.